Item Number	MultiCamera Production from a single 4K Source	List Price (EUR)
DATA-KMU100185B Monitors not included (Optional)	**DATAVIDEO KMU-100 & RMC-185 Controller Bundle** Unique 4K multi-camera production solution. Create four user-defined HD windows and outputs from a single 4K/UHD input. Each window can be scaled in real-time to zoom, track and pan to generate a full multicam experience. An additional 4K camera can be connected to allow up to eight dynamic outputs from the two 4K signals. The Datavideo RMC-185 camera controller included in this bundle gives users highly intuitive PTZ-style control over each virtual camera. You can set up shots in advance and save them as presets, or you have the freedom to change virtual camera positions in real-time. • Inputs : SDI (Quad, 6G and 12G) and HDMI 2.0 • Outputs : 8x 3G-SDI • SDI Audio Input / Output (16 Channels), Blackburst or TriSync • Ethernet RJ45 for Control Configuration and Updates (for Laptop) • RS-232 / RS-422 (Control by Optional RMC-185 Control Panel)	€ 3,750
Item Number	**Individual Items**	
DATA-KMU100	DATAVIDEO KMU-100 4K Multi-camera Processor (only)	€ 2,845
DATA-RMC185	DATAVIDEO RMC-185 Controller for KMU-100.	€ 905
DATA-KMU200	DATAVIDEO KMU-200 4K Single Channel MultiSource Production Unit with; All-In-One Video Switching, Streaming, Audio Mixing and Camera Control. Unique 4K multi-camera production solution. Create four user-defined HD windows and outputs from a single 4K/UHD input.	€ 3,050
Item Number	**Block Cameras**	**List Price (EUR)**
DATA-BC50	**DATAVIDEO BC-50 HD Block Camera** • 1080P Full HD resolution. • 20x optical zoom with a maximum aperture of F1.8. Gain setting of 0.05 LUX with a smooth PTZ control. • Support PoE Technology for remote power • H.264/H.265/Motion-JPEG compression through RJ-45 connection • Regular 3G SDI output for uncompressed video up to 1080P • Controllable by VISCE/Pelco-C/Pelco-D • Tally lights for broadcast level applications. • The camera is only 6.4 inch long facilitating setup in all environments. • Cold shoe mount for connecting an external LED light or monitor.	€ 745
DATA-BC80	**DATAVIDEO BC-80 HD Block Camera** • HD Resolution:1/2.8" High Definition 2.0 M Pixels progressive CMOS sensor • High definition formats supported:1080/ 59.94p,1080/ 50p,1080/ 59.94i,1080/ 29.97p,1080/ 25p,1080/ 50i,720/ 59.94p,720/50p • Digital Noise Reduction Function (DNR) to reduce the noise and enable sharper image under low light conditions. • Video Output: SDI + HDMI synchronously. • Tally LED Design (RS-422/ DVIP Operation) • Supports SONY VISCA Protocol •Supports DVIP Control Protocol	€ 1,125
DATA-BC100	**DATAVIDEO BC-100 HD Block Camera with MFT lens mount** • HD Resolution: 4/3" CMOS sensor with 1080p full HD 1080p24/25/29.97/50/59.94 video format resolution • High dynamic range and 3D noise reduction • 12-bit processing • Interchangable MFT Lens mount • Tally LED Design (RS-422/ DVIP Operation) • App Control for monitoring and live streaming • HDMI and SDI Outputs	€ 1,875
DATA-BC15P	DATAVIDEO BC15P POV Camera DATAVIDEO POV Camera with a 1/1.8" CMOS Sensor, 4K 50/59.94/60p output, H.264 streaming output, optional eSports lens and body or App control	€ 719
DATA-BC15NDI	DATAVIDEO BC15 NDI POV Camera DATAVIDEO POV Camera with a 1/1.8" CMOS Sensor, 4K 50/59.94/60p output, H.264 streaming output, NDI HX output, optional eSports lens and body or App control	€ 795
Item Number	**PTZ Cameras and heads**	**List Price (EUR)**
	Datavideo PTC140 HD PTZ Camera Pan/Tilt camera with1/2.8 inch CMOS sensor. Up to Full HD with 60fps.20x Optical Zoom, 10xDigital ZoomH.264/H.265 video compression for streamingSupports RTSP, RTMP protocolsCompatible with HS-1500T and HS-1600T HDBaseT Portable Video Studios, and remote controllable by RMC-300 and RMC-180 PTZ Camera Controller • 1/2.8 inch CMOS sensor. Up to Full HD with 60fps • 20x Optical Zoom, 10xDigital Zoom • Advanced noise reduction • Audio Input Interface • 264/H.265 video compression for streaming	
DATA-PTC140	**DATAVIDEO PTC-140 HD PTZ Camera (Black)**	€ 1,175
DATA-PTC140W	**DATAVIDEO PTC-140 HD PTZ Camera (White)**	€ 1,175
DATA-PTC140NDI	**DATAVIDEO PTC-140 NDI HX HD PTZ Camera (Black)**	€ 1,455
	DATAVIDEO PTC-140T PTZ Camera with HD BaseT Technology • Same technical spec as PTC-140 Camera • Additionally equipped with HDBaseT Technology • Allows video signal, remote control, and power down a single Ethernet connection • Ships with HD BaseT RX box (can be used upto 100m away)	
DATA-PTC140T	**DATAVIDEO PTC-140 HDBaseT PTZ Camera without HBT-11 for use with HS1500T/HS1600T (Black)**	€ 1,405
DATA-PTC140TH	**DATAVIDEO PTC-140 HDBaseT PTZ Camera with HBT11 (Black)**	€ 1,785
DATA-AD232	**DATAVIDEO AD-232 RS-232 to RS-422 Converter for PTC140**	€ 33
DATA-PTC140TW	**DATAVIDEO PTC-140 HDBaseT PTZ Camera without HBT-11 for use with HS1500T/HS1600T (White)**	€ 1,405
DATA-PTC140THW	**DATAVIDEO PTC-140 HDBaseT PTZ Camera with HBT11 (White)**	€ 1,785
	DATAVIDEO PTC-150 HD/SD PTZ Camera • HD Resolution: 1/2.8" High Definition 2.14 MegaPixels progressive MOS sensor • 30x optical zoom (f=4.3 mm to 94.6 mm) • High definition formats supported: 1080p/59.94 (4:2:2), 1080p/50 (4:2:2), 1080p/29.97, 1080p/25, 1080i/59.94, 1080i/50, 720p/59.94, 720p/50 • Standard definition formats supported: 480i, 576i • Video Output: HDMI, HD/SD-SDI, CVBS • Dehazing technology allows the foggy or hazy images to be clear and sharp • Digital Noise Reduction Function (DNR) to reduce noise and deliver clearer images in low light • Position coordinates reported in real time per frame	
DATA-PTC150	**DATAVIDEO PTC-150 PTZ Camera (Black)**	€ 2,345
DATA-PTC150W	**DATAVIDEO PTC-150 PTZ Camera (White)**	€ 2,345
	DATAVIDEO PTC-150T PTZ Camera with HD BaseT Technology • Same technical spec as PTC-150 Camera • Additionally equipped with HDBaseT Technology • Allows video signal, remote control, and power down a single Ethernet connection • Ships with HD BaseT RX box (can be used upto 100m away)	
DATA-PTC150T	**DATAVIDEO PTC-150T HDBaseT PTZ Camera (Black)**	€ 3,050
DATA-PTC150TW	**DATAVIDEO PTC-150T HDBaseT PTZ Camera (White)**	€ 3,050
DATA-PTC150TL	**DATAVIDEO PTC-150TL PTZ Camera (Black) for use with HS-1500T and HS1600T**	€ 2,695
DATA-PTC150TLW	**DATAVIDEO PTC-150TLW PTZ Camera (White) for use with HS-1500T and HS-1600T**	€ 2,695
DATA-PTC280	DATAVIDEO PTC280 4K(UHD) PTZ Camera 1/2.5" CMOS, 12x Optical Zoom, 16x Digital Zoom 3G-SDI x1, HDMI 2.0 x1 (4K 50/59.94/60p) output HEVC and H.264 encoding supporting dual stream (4K30p + 720p30, bitrate: 32Kbps ~ 50Mbps) Optional NDI|Hx / PoE	€ 1,685
DATA-PTC300	DATAVIDEO PTC300 4K(UHD) PTZ Camera 1/2.5" CMOS, 20x Optical Zoom, 16x Digital Zoom 3G-SDI x1, HDMI 2.0 x1 (4K 50/59.94/60p) output HEVC and H.264 encoding supporting dual stream (4K30p + 720p30, bitrate: 32Kbps ~ 50Mbps) Optional NDI|Hx / PoE	€ 2,065
	The PTR-10 is a robotic pan-tilt head designed to turn any block camera into a PTZ camera. Using the idea of Datavideo PTC series of cameras, PTR-10 can provide accurate Pan Tilt position information for users to track the movement. While combining the tracking information with TVS-2000A, it could bring up a lot of possibilities to use other cameras to do tracking in the virtual studio. With a weight of 3.8kg, it can be placed on a tripod or mounted on the wall/ceiling. PTR-10 can be controlled by IR controllers, VISCA protocol controller, RMC-180 camera controller, RMC-280 TVS controller and also compatible with serial, Ethernet, DVIP.	
DATA-PTR10	**DATAVIDEO PTR10 Pan Tilt Head**	€ 1,895
DATA-PTR10T	**DATAVIDEO PTR10T Pan Tilt Head with HDBaseT**	€ 2,275
	Camera bundles	**List Price (EUR)**
DATA-PTC1403KIT	**DATAVIDEO 3 x PTC140 HD PTZ Camera and custom foam hardcase.**	€ 4,110
DATA-PTC140T3KIT	**DATAVIDEO 3 x PTC-140T HDBaseT PTZ Camera without HBT-11 and custom foam hardcase.**	€ 4,435
DATA-PTC140TH3KIT	**DATAVIDEO 3 x PTC-140TH HDBaseT PTZ Camera with HBT-11 and custom foam hardcase.**	€ 5,525
DATA-PTC1503KIT	**DATAVIDEO 3 x PTC150 HD PTZ Camera and custom foam hardcase.**	€ 7,170
DATA-PTC150T3KIT	**DATAVIDEO 3 x PTC-150T HDBaseT PTZ Camera with HBT-11 and custom foam hardcase.**	€ 9,270
DATA-PTC150TL3KIT	**DATAVIDEO 3 x PTC-150TL HDBaseT PTZ Camera without HBT-11 and custom foam hardcase.**	€ 8,935
DATA-PTC150W3KIT	**DATAVIDEO 3 x PTC150W HD PTZ Camera and custom foam hardcase.**	€ 7,170
DATA-PTC150TW3KIT	**DATAVIDEO 3 x PTC-150TW HDBaseT PTZ Camera with HBT-11 and custom foam hardcase.**	€ 9,270
DATA-PTC150TLW3KIT	**DATAVIDEO 3 x PTC-150TLW HDBaseT PTZ Camera without HBT-11 and custom foam hardcase.**	€ 8,345
DATA-PTC140T3/HS1600TKIT	**DATAVIDEO 3 x PTC-140T HDBaseT PTZ Camera and custom foam hardcase with HS-1600T 4-Channel HD/SD HDBaseT Portable Video Studio**	€ 9,195
DATA-PTC150TL3/HS1600KIT	**DATAVIDEO 3 x PTC-150TL HDBaseT PTZ Camera and custom foam hardcase with HS-1600T 4-Channel HD/SD HDBaseT Portable Video Studio**	€ 13,100
DATA-PTC150TLW3/HS1600KIT	**DATAVIDEO 3 x PTC-150TLW HDBaseT PTZ Camera and custom foam hardcase with HS-1600T 4-Channel HD/SD HDBaseT Portable Video Studio**	€ 13,100

HOLDAN Limited
Tel +44(0)1457 851000
Fax +44(0)1457 850964
www.holdan.co.uk

	Camera Controllers and Accessories	List Price (EUR)
DATA-RMC180	DATAVIDEO RMC-180 Camera Controller for PTC-150/T & PTC140/T • Remote control of up-to four Pan,Tilt & Zoom cameras • Pan,Tilt & Zoom with speed control by large joystick • Control of Pan, Tilt and Zoom as well as Iris, Focus, Gain, and other functions over Ethernet • Multiple preset for Pan, Tilt & Zoom for each individual camera • Full remote control of each camera via serial communication over affordable network cabling • Compatible with Datavideo's switcher tally indicators • Compact design for easy installation • Compatible with BC50, BC80, BC200, PTC150, PTC150T, PTC200, PTC140, PTC140T	€ 905
DATA-RMC300A	DATAVIDEO RMC-300 multi camera IP controller The RMC-300A is a multi-functional remote control unit, controls up to 24 Datavideo PTZ/block cameras, 14 presets/camera, with a built in control panel (touch) Control via Ethernet, also controls SE-3200 and HDR-80/90	€ 1,135
DATA-WM1B	**DATAVIDEO WM-1B Wall Mount for Datavideo PTZ Cameras (Black)**	€ 99
DATA-WM1W	**DATAVIDEO WM-1W Wall Mount for Datavideo PTZ Cameras (White)**	€ 99
Item Number	**HDBaseT TX/RX**	
DATA-HBT11	**DATAVIDEO HBT-11 HDBaseT Receiver Box** • Transmit up to 4K video from HBT-10 Transmitter to HBT-11 Receiver • Extend video transmission up to 100m from HBT-10 Transmitter to HBT-11 Receiver • Transmit video, audio, DVIP Ethernet control, RS-422/232 and POE from a single Cat.5e/6/6a/7 cable • PoE Power supply 48V input from HBT-11 Receiver • Supports DVIP, RS-422 and RS-232 control protocols	€ 375
DATA-HBT5	**DATAVIDEO HDMI to HDBaseT video converter up to 60 Meter FullHD and 35 Meter UHD(30FPS)**	€ 185
DATA-HBT6	**DATAVIDEO HDBaseT to HDMI converter**	€ 215
Item Number	**Encoders**	**List Price (EUR)**
DATA-NVS33	**Datavideo NVS33 H.264 Video Streaming Encoder and MP4 Recorder** **•H.264 streaming and recording simultaneously.** **•1x SDI / HDMI input** **•1x SDI / HDMI embedded audio, 1x RCA unbalanced audio** **•Supports different bitrates for recording and streaming simultaneously** **•Streaming videos in RTMP, RTSP, and TS formats** **•Record to an SD card without file size limitation** **•Supports FAT/exFAT/NTFS file system for continuous recording** **•Multi-language Web UI (English/Traditional Chinese/Simplified Chinese/Japanese)** **•Dual colour LED indicator showing the status or the detections.**	€ 665
DATA-NVS34	**Datavideo NVS34 H.264 Video Streaming Encoder and MP4 Recorder**	€ 695
DATA-NVS40	**DATAVIDEO NVS-40 HD Streaming Encoder** • Simultaneous Live Streaming & Recording • 4 x HDMI Inputs and 1 x Output • Up to 2 streams/input and 2 streams for Program (Quad split) • Up to 30 Mbps Streaming • In System UI (OSD) for System Configuration • Quad split (5th) Encoder with PGM Output	€ 1,675
Item Number	**Decoders**	**List Price (EUR)**
DATA-NVD30	**DATAVIDEO NVD-30 IP Video Decoder** • Operates on standard 10/100Mb Ethernet networks • Unicast and multicast support • Supports RTP/RTSP (Unicast/Multicast), RTMP, UDP (Unicast/Multicast), HLS and MPEG-TS • Supports decode from YouTube Live, Ustream and most major CDNs • IP, GPI, Keyboard and jog shuttle control • Supports stream recording and delayed playback • Supports file based playback from USB with mp4,.h264,.mkv,.mov,.ts wrappers	€ 445
DATA-NVD35	**DATAVIDEO NVD-35 IP Video Decoder** Same spec as NVD-30 above, with SDI & CV output instead of HDMI & CV Output	€ 605
Item Number	**Media Presenters**	**List Price (EUR)**
DATA-NVP20	**DATAVIDEO NVP-20 Network Controllable Media Player** Fully automated remote control H264 media/clip player • Operates on standard 10/100Mb Ethernet networks • IP and GPI control or standalone via optional USB Keyboard/Jog-Shuttle control • Excellent image quality up to 1080p60. Supports mp4,.h264,.mkv,.mov,.ts • IP control supports multiple playlists, play next clip, play all clips, loop play all clips, pause, resume and seek • Supports NTFS and FAT/FAT32 formatted USB storage • Feature-rich WebUI for configuration and control • Built in video scaler. HDMI and Composite video output • Supports simultaneous digital embedded and analogue audio output, 7-24V DC input	€ 365
Item Number	**Media Presenters**	**List Price (EUR)**
DATA-TWP10	**DATAVIDEO TWP-10 4K Video Wall Processor 2x2** The TWP-10 4K Video Wall Processor is a powerful, cost effective, and truly real time Datavideo processor for multiple flat panel displays. Any setups for the display layout can be virtually possible with the control software. The TWP-10 allows user to input HDMI video up to 4K2K@60Hz 4:4:4. The embedded scaler converts signals from an HDMI source to match the original resolution of monitors, flat panel displays, projectors and user-selectable output settings up to Full HD (1920x1080 @ 60fps).	€ 1,545
Item Number	**Go Kits**	**List Price (EUR)**
DATA-GO500-STUDIO	**DATAVIDEO GO-500 Studio Kit** All your video production equipment inside one portable case.GO-500 STUDIO is an all in one kit that comes with a SE-500HD video switcher, TLM-102 dual monitor for preview and program, NVS-33 streaming encoder, and HDR-1 H.264 USB recorder all racked, connected, and packed in a rugged hard case	€ 4,150
DATA-GO650-STUDIO	**DATAVIDEO GO-650 Studio Kit** All your video production equipment inside one portable case.GO-650 STUDIO is an all in one kit that comes with a SE-650 video switcher, TLM-102 dual monitor for preview and program, NVS-33 streaming encoder, and HDR-1 H.264 USB recorder all racked, connected, and packed in a rugged hard case.	€ 4,150
DATA-GO1200STUDIO	**DATAVIDEO GO-1200 Studio Kit** All your video production equipment inside one portable case.GO-1200 STUDIO is an all in one kit that comes with a SE-1200 1U video switcher, RMC260 control panel, TLM-102 dual monitor for preview and program, NVS-33 streaming encoder, and HDR-1 H.264 USB recorder all racked, connected, and packed in a rugged hard case.	€ 4,750
DATA-GO500KIT	DATAVIDEO GO-500 Cable Kit	€ 505
DATA-GO650KIT	DATAVIDEO GO-650 Cable Kit	€ 425
DATA-GO1200KIT	DATAVIDEO GO-1200 Cable Kit	€ 425
	Switchers	**List Price (EUR)**
DATA-SE500HD	**DATAVIDEO SE-500HD 4 Channel HD/SD Video Switcher** • Supports up to Full HD 1080p • Video Input: 4x HDMI, Video Output: 2x HDMI (1x Multiview | 1x Program) • Audio Input: 1x Stereo RCA | 2x Microphone, Audio Output: 1x Stereo RCA | 1x Stereo headphone mini Jack • Audio Mixer: 2x Mic | 1x Stereo RCA | 1x internal Digital embedded, Audio LED Meter • Transitions: Wipe, Mix & Cut, Keyer: Lumakey • Picture-in-picture and split functions • Tally Output	€ 1,045
DATA-SE650	**DATAVIDEO SE-650 4 Input HD Video Switcher** • 4 Input (2 HD-SDI, 2 HDMI Inputs) • 2 RCA Inputs for audio embedding with audio mixing feature • Built-in multiviewer, Supporting Linear/Luma Key, Wipe, Mix & Cut Transitions, • 1 DSK, Full M/E Preview function, Frame store, Dedicated Stills Buffer for 24 Images • XPT (Cross Point Assignment), Tally output, GPI Output	€ 1,135

HOLDAN Limited
Tel +44(0)1457 851000
Fax +44(0)1457 850964
www.holdan.co.uk

DATA-SE1200260B Monitor not included (Optional)	**DATAVIDEO SE-1200 Switcher & RMC-260 Controller Bundle** • 6 Input (4 SDI, 2 HDMI) with embedded audio + 2 Balanced XLR Audio Input • 4 Assignable Outputs (2 SDI, 2 HDMI) by crosspoint • Multiview output via M-JPEG stream (ideal for long distance control) + HDMI • Chromakey, Lumakey, DSK, PIP, Still Stores • Tally + RJ45/RS-232 Control Interface • Bundle includes RMC-260 Controller for easy direct control **SE-1200 available separate (for control by PC only) - see below**	€ 1,850
DATA-SE2200 	**DATAVIDEO SE-2200 6 Channel HD Vision Mixer / Switcher** • 6 Inputs: 4x HD-SDI + 2 x HD-SDI/HDMI Switchable (1920 x 1080i & 1280 x 720P) • 8 outputs: 6x HD-SDI, 2 x HDMI. 4 assignable as AUX • Outputs can be Program, Program with Logo, Program With Logo and Titles, Preview, or Aux • Built in title creator system - Output from Powerpoint or similar from your laptop and use the built in Lumakey • 4 x XLR Audio Input / 2 Output. Supports embedded audio / can embed audio • Cut, Mix & Wipe Effects. 2 x PIP • GPI & RS-232 Control • Tally signal output	€ 2,850
	DATAVIDEO SE-2850 8/12 Channel HD/SD Vision Mixer / Switcher • Supports up to 12 HD or SD Inputs in a variety of configurations • 6 user-defined output options on 4 SDI output channels. • Two downstream keyers (DSK) with a setup choice of basic Luma key or alpha channel. • Built-in title overlay system (TC-200) that works with entry level Datavideo CG systems. • Frame Store (FS) source for each input channel. • Real-time clock featuring HH:MM:SS on the multi-screen. • Count down counter MM:SS. • User defined wipe buttons - choice of 17 wipes with optional border. • Support XPT cross point: XPT Video and XPT Audio. • Audio delay for each de-embedded audio source. • Two Audio output modes (Selectable on OSD): • Remote control over an Ethernet network using a supplied PC application running on Windows 7 Operating System or above. • Separate, rack mountable processing unit. • Two GPI modes: Level / Pulse trigger selectable.	
DATA-SE2850-8	**DATAVIDEO SE-2850 8 Channel HD/SD Vision Mixer / Switcher**	€ 4,250
DATA-SE2850-12	**DATAVIDEO SE-2850 12 Channel Vision Mixer / Switcher (includes 4 x Input Upgrade)**	€ 4,750
DATA-SE3200 	**DATAVIDEO SE-3200 12-Channel HD Digital Video Switcher.** 12 Video Input Channels: 8 x SDI and 4 x HDMI 9 Video Output Channels: 6 x SDI and 3 x HDMI 4 Upstream Keys for chromakey, linear and luma keys as well as picture-in-picture Picture-in-picture with configurable ratio, position and size 2 Downstream Keyers for linear and luma keys 2 static or animated logos with configurable position and size WIPE, MIX, DVE and CUT transitions 32 WIPE patterns such as circle and heart with adjustable border width and color softness Supports stinger transition for live sports broadcast Any input (1-12) can be used as a frame store Supports XPT (Cross Point Assignment) 4 XLR analogue audio input channels with each channel carrying four audio tracks 2 XLR de-embedded analogue audio output channels Dual color (red/green) tally outputs Supports Tri-Level and Black Burst sync reference 2 readily available user memory presets	€ 5,250
Item Number	**Individual Items & Upgrades**	
DATA-RMC260	DATAVIDEO RMC-260 Remote Control Panel for SE-1200MU	€ 475
DATA-SE1200MU	DATAVIDEO SE-1200MU 6 Channel HD Vision Mixer / Switcher (Switcher Only - PC Controllable)	€ 1,425
DATA-SE2850-UP	DATAVIDEO SE-2850 8Ch to 12Ch Upgrade Board	€ 475
DATA-TPC700 	DATAVIDEO TPC-700 Touch Panel Controller for SE3200/HS3200	€ 755
Item Number	**Hand Carry Video Studios**	**List Price (EUR)**
DATA-HS1300 	**DATAVIDEO HS-1300 6 Channel HD Portable Studio with built in Streaming Encoder/Recorder** Handcarry System, Portable production unit, designed as a suitcase providing;HD/SD Digital video switcher with XPT assignments, FTB, Mix, Cut, Wipe effects, PiP & 2x downstream keyerVideo inputs: 6x HD-SDI or 4x HD-SDI +2x HDMI Video outputs: 1x HD-SDI & 1x HDMI (XPT/AUX/PVW/PGM)Tally/GPI output. Built-in 17.3" (1600x900) integrated monitor.With a built in streaming encoder/recorder	€ 3,350
DATA-HS1600TMKII 	DATAVIDEO HS-1600T MKII 4-Channel HD/SD HDBaseT Portable Video Studio • Lightweight compact, one box portable HD Video Studio • Supports upto full HD 1080p • Built-in HDBaseT technology allows control of up to three PTC-150T or PTC-140T Pan, Tilt, and Zoom cameras, as well as send power to PTC-150Ts by PoE. • One button set up for recording and streaming • Broadcast quality H.264 dual network streaming • Pan, tilt, and zoom with speed control by Joystick • 4 video inputs (RJ-45 x 3 + HDMI x 1 with loopout) • 3 video outputs (HDMI x 2 , HDBaseT x 1) • Audio inputs: XLR Analogue x 2 + RCA Analogue (L/R) x 2 • Flexible Mix/Effects: PIP, WIPE, Mix, Fade • Tally Output • One 17.3-inch with a resolution of 1920x1080 dots	€ 4,950
	DATAVIDEO HS-2850 8/12 Channel HD/SD Vision Mixer / Switcher New design, lightweight compact, one box portable HD Video Studio - fits in airline overhead locker Built around the SE-2850 Mixer/Switcher. Comprises: • SE-2850 with up to 12 HD or SD Inputs in a variety of configurations • HD Mode: (1) 8/12 HD-SDI , (2) 6/9 HD-SDI + 2/3 HDMI • SD Mode: (1) 8/12 SD-SDI , (2) 6/9 SDI + 2/3 HDMI • 17-inch multi-image video monitor displaying each source, pre-view and PGM • 8 channel dual channel Intercom system with four camera man belt packs & dual colour tally light indicator • Integrated power distribution centre providing a simple and secure solution from a single socket	
DATA-HS2850-8	**DATAVIDEO HS-2850 8 Channel HD/SD Vision Mixer / Switcher**	€ 6,450
DATA-HS2850-12	**DATAVIDEO HS-2850 12 Channel Vision Mixer / Switcher (includes 4 x Input Upgrade)**	€ 6,850
DATA-HS3200 	**DATAVIDEO HS-3200 12-Channel HD Digital Video Studio.** Lightweight compact, one box portable HD Video Studio - fits in airline overhead locker Built around the SE-3200 Mixer/Switcher. Comprises: 1Video Input Channels: 8 x SDI and 4 x HDMI 9 Video Output Channels: 6 x SDI and 3 x HDMI 4 Upstream Keys for chromakey, linear and luma keys as well as picture-in-picture Picture-in-picture with configurable ratio, position and size 2 Downstream Keyers for linear and luma keys 2 static or animated logos with configurable position and size WIPE, MIX, DVE and CUT transitions 32 WIPE patterns such as circle and heart with adjustable border width and color softness Supports stinger transition for live sports broadcast Any input (1-12) can be used as a frame store Supports XPT (Cross Point Assignment) 4 XLR analogue audio input channels with each channel carrying four audio tracks 2 XLR de-embedded analogue audio output channels Dual color (red/green) tally outputs Supports Tri-Level and Black Burst sync reference 2 readily available user memory presets	€ 7,350
Item Number	**Mobile studios**	
DATA-MS2850-C 	The MS-2850 is an all-in-one mobile video studio with foldable 17"FHD monitor, built around the Datavideo SE-2850 switcher, the MS-2850 provides superb 10 bit 4:2:2 broadcast quality video. The mobile video studio is a ready to go switcher, it will save a lot of crew time when setting up or breaking down in the field. Owing to a bespoke tally and communication system, the MS-2850 enables you as a producer/director to direct and manage a live production when working with a crew of 8 camera operators. Version C comes with; [SE-2850], [TLM-170L], [ITC-100], [HDR-70], [AD-200], [PD-2A]	€ 14,000
Item Number	**Recorders**	**List Price (EUR)**
DATA-HDR1 	**DATAVIDEO HDR-1 H264 Desktop USB HD Recorder** • Capture HD video up to 1080p30 onto USB memory devices • HDMI 1.4b input and output • Video pass thru support for 1080P, 1080i and 720P video up-to 60P and SD formats • Record and play back MP4 (H.264+AAC) files at 3~20Mbps • Instant, Timer and Pause Recording • Built-in clip editor • Storage device auto detect & setup	€ 485
DATA-HDR60-0TB 	**DATAVIDEO HDR-60 Desktop HD/SD-SDI Recorder - 0TB** • SD/HD-SDI Input/Output + SD/HD-YUV & HDMI Output • Balanced Audio I/O, Analogue 2Ch, AES/EBU-4Ch, SD/HD-SDI-4Ch, HDMI-4Ch • Recording format MXF OP1A (.MOV Soon) • 80-100Mbps 4:2:2 (120Mbps Long GOP Soon), I-Frame Only Recording (HD Only) • Reference / TC Input • RS-232/422 Control	€ 1,765
DATA-HDR70-0TB 	**DATAVIDEO HDR-70 1U Rackmount HD/SD-SDI Recorder** Same Spec as HDR-60 - 1RU Rackmount Version	€ 1,765

holdan
HOLDAN Limited
Tel +44(0)1457 851000
Fax +44(0)1457 850964
www.holdan.co.uk

All prices Exclude VAT
Errors Omissions Excepted
All prices subject to change without notice

DATA-HDR80	**DATAVIDEO HDR-80 Desktop 4K ProRes Video Recorder** • UHD 4K Recording and Compressed in 10-Bit 4:2:2 ProRes • Large 5" LCD Touch screen for operating and monitoring • 12G SDI /4K HDMI /3 x 3G-SDI input, output with embedded audio • 2 x XLR Analogue Audio Inputs and 2 x XLR Analogue Audio Outputs • Record compressed in ProRes on two 2.5" SSDs, conveniently hidden behind the display. • HD quad-channel recording, 3G ISO Recording, and HD playback features • Controllable by DVIP/GPI/RS-232 • Time code supported, Black burst and Tri-Level Sync Reference	€ 2,345
DATA-HDR90	**DATAVIDEO HDR-90 1U Rackmount 4K ProRes Video Recorder** Same Spec as HDR-80 - 1RU Rackmount Version	€ 2,345
DATA-HRS30-0TB	**DATA-HRS30-0TB DATAVIDEO HRS-30 10" Field Monitor with HDD/SSD Recorder - 0TB** • HD-SDI input / output and loop thru with embedded audio • HDMI output with embedded audio • Selectable HD Recording up-to 120 Mbps Long GOP 4:2:0 / 4:2:2 or i-frame 8-bit 4:2:2 • Selectable SD Recording up-to 50 Mbs Long GOP 4:2:0 / 4:2:2, or i-frame only 8-bit 4:2:2 • Intelligent playback includes skip 8 sec, slow motion, skip clip and playback from mark In • Powered by V-Mount Battery (not included) • 4x 5v USB Outputs for charging phones, tablets etc • Power fail protection - content saved until last second of recording	€ 1,955
SATA-32025	**500GB HDD fitted to Datavideo Recorder at time of ordering**	€ 75
Item Number	**Recorder Accessories**	
DATA-HE2	DATAVIDEO HE-2 Additonal Spare (Empty) Removable SSD Drive Enclosure for HRS-30	€ 33
DATA-HE3	DATAVIDEO HE-3 Additional Spare (Empty) Removable Hard Drive Enclosure for HDR60 / HDR70, DN600 / DN700	€ 46
DATA-HE1CASE	DATAVIDEO Carry Case for HE-1 / HE-3 HardDrive Carrier	€ 6
Item Number	**Chromakey & Virtual Studio Solutions**	**List Price (EUR)**
DATA-TVS1000A	**DATAVIDEO TVS-1000A Trackless Virtual Studio System** The TVS-1000 is a 5 in 1 design which consists of trackless virtual studio system, video switcher, character generator, video recorder and web streaming encoder. It's a versatile, easy to use and cost-effective solution. TVS-1000 is suitable for production companies, corporate producers, users in education, small studios and TV stations. As a virtual studio solution, TVS-1000 supports pan, tilt and zoom camera movements for dynamic effect. The built-in Virtual Set Maker allows users to fully customize their sets: background images can be inserted with ease, logos can be added to any surface and video can be run in the backdrop. In addition, professional studio templates can be downloaded on http://www.datavideovirtualset.com • Five in One: Virtual Studio, Switcher, Charter Generator, HD/SD recorder and Web Streaming • 1 x HDMI input / output & AUX Input • Mini phono jack audio input, audio embedded to PGM HDMI output • 2 x DSK to add CG and animation to the scene • Edit the background: add graphics or videos in the background. • Chroma Key function delivers perfect keying • RMC-220 control panel is included	€ 6,350
DATA-TVS2000A	**DATAVIDEO TVS-2000A 3D Trackless Virtual Studio System** The TVS-2000A is the world's first true 3D tracking virtual studios that utilize PTZ camera position tracking. Tracking the camera movement with a PTZ camera ensures a lifelike and convincing virtual experience. Using a 3D studio with PTZ tracking is another game changing invention of Datavideo that helps the end user create high-end productions in a cost effective way. This 3D virtual studio is available in two ways. A regular rackmount 4RU PC chassis is available to be built in into your existing studio. And for the first time ever we've built a handcarry version of one of our virtual studios. Especially when you create educational productions, or when you travel to different production facilities this system will be of your preference. The handcarry version houses the full system, control panel and a monitor into a compact flightcase. • 2 x SDI input, can simulate 4 camera studio operation (Trackless Mode) • Supports Tracking Virtual Studio and Trackless Virtual Studio simultaneously • All 4 virtual cameras have real pan, tilt, zoom movements • 1 x HDMI AUX input for powerpoint from laptop, or any other live video sources • Supports Mini phone jack audio input, can embed external audio into SDI/HDMI PGM output • 2 x DSK to add CG and animations to the scene • Chromakey wizard helps to achieve perfect keying effect • 3D tracking virtual studio system using Datavideo PTC camera as tracking camera, setup a tracking virtual studio fast and easy • TVS-2000A has Virtual Studio, Switcher, Character Generator, Recorder and Streaming functions built-in	€ 11,200
Item Number	**Stand Alone Chromakey Units**	**List Price (EUR)**
DATA-DVK400	**DATAVIDEO DVK-400 1RU Live 4K Chromakeyer** • 4K Real-time chromakeyer with 4:4:4 10-bit internal process • Easy operation and control over the network • Advanced algorithms can present transparency, smoke, reflection, and shadow in detail • Multiple HDMI and SDI outputs for Program and Preview with mirror option • An adjustment black and white level for a precise chromakeyer settings to delete the reflective color from foreground • Correction of picture parameters (brightness, contrast, saturation) applied on foreground signal after keying processing. To give you the best color adjustment to match your background atmosphere.	€ 1,925
Item Number	**Converters**	**List Price (EUR)**
	Datavideo converters are different: they are extremely tough, run cool and come with useful and practical accessories to help you mount your unit to a tripod or camera rig. Many of the DAC series can also be rack mounted and centrally powered using RMK-2.	
DATA-RMK2	**DATAVIDEO RMK-2 Rackmount System for up to 8 x DAC Converters** • Mounts up to 8 x Datavideo DAC Converters in a single 2U Rackframe • Single Power Connection • Suitable for DAC-8P, DAC-9P, DAC-50S, DAC-60, DAC-70, DAC-80, DAC-90, DAC-91 and future DAC models	€ 285
DATA-DAC8PA	**DATAVIDEO DAC-8PA SD/HD-SDI to HDMI Converter** The DAC-8PA Converter converts SDI in resolutions up to 1080p50/60 to HDMI, it is easy to connect the HDMI signal devices and professional SDI video equipment. Featuring SDI input and both an SDI and HDMI output, audio is de-embedded from the SDI input, and available in the HDMI output and analog audio output. • Inputs : SD/HD-SDI • Outputs : HDMI + Loop Through SD/HD-SDI • Audio :RCA Embedded Audio output, Can embed SDI Audio input into HDMI Signal	€ 195
DATA-DAC9P	**DATAVIDEO DAC-9P HDMI to SD/HD-SDI Converter** Heavy Duty Construction. New Version - Now supports 1080P • Inputs : HDMI • Outputs : 2 x SD/HD-SDI • Audio : HDMI Embedded will convert to SDI Embedded	€ 285
DATA-DAC45	**DATAVIDEO DAC-45 4K UP/Down Cross Converter** • Auto Detect - 4K Up / Down / Cross Converter, Up/Down/Cross convert between SD, HD, 3G and 4K formats • HDMI 2.0 input/output with 4:2:2 processing • Video Input : SDI (3G) + HDMI (4K) + VGA, Video Output : SDI (3G) + HDMI (4K) • RCA audio embedding, to embed a stereo signal to the HDMI or SDI output • Support 3G-SDI Level A/B • Reference input (Black Burst and Tri-Level Sync) • Built-in Super Resolution Engine for 4K Up Conversion, Built-in Resolution & Frame rate Up/Down Conversion Engine • Built-in De-interlacer and Interlacer (I<>P conversion)	€ 815
DATA-DAC50S	**DATAVIDEO DAC-50S 3G/HD-SDI to Analogue Converter** Updated version of DAC-50 above. Also includes : • 3G-SDI/1080P support • Separate YUV & CV outputs • Audio de-embed to RCA outputs	€ 335
DATA-DAC60	**DATAVIDEO DAC-60 HD/SD-SDI to VGA Converter** Ideal for utilising existing infrastructure VGA monitors & projectors • Inputs : SD/HD-SDI - 720p 50/60, 1080p 24, 25, 30, 50 & 60, 1080i 50 & 60 • Simultaneous 1 x VGA and 1 x SDI (pass through) output • Built-in hardware scaling engine with anti-aliasing • Brightness, Contrast, Hue and Saturation Adjustment on VGA output by Windows Application • Heavy Duty Construction	€ 335
DATA-DAC70	**DATAVIDEO DAC-70 Up / Down / Cross Converter with VGA** • 3G/HD/SD Up/Down/Cross convert • Audio/HDMI/SDI/VGA input • 3G/HD/SD SDI and HDMI output • DC 12V, 3.6 watts • Heavy Duty Construction	€ 499
DATA-DAC75T	**DATAVIDEO DAC-75T Desktop Up / Down / Cross Converter with VGA and touch screen control.** • 3G/HD/SD Up/Down/Cross convert • Audio/HDMI/SDI/VGA input • RCA inputs for embedded audio/video output • 3G/HD/SD SDI and HDMI output • Touch Screen Interface • Allows more functionality to match the recorder and projector/monitor in a conference room.	€ 1,255
DATA-DAC80	**DATAVIDEO DAC-80 2 Channel Audio Isolation Transformer** Removes hum and buzz created by ground loops. Voltage differences in the system grounding points between different pieces of equipment cause small AC power currents to flow in the shield of audio cables. Capacitance between a power transformer's primary and secondary windings introduce signals to the circuit ground, which will also create small current flows in the cable shield. Either of these problems will create hum in audio signals. DAC-80 breaks the inter-equipment ground path and greatly increases the rejection in the input circuits while remaining transparent to the audio signal • Inputs: 2x XLR (ch1 and ch2), Outputs: 2x XLR (ch1 and ch2)	€ 105

DATA-DAC90	**DATAVIDEO DAC-90 Audio De-Embedder** • De-Embed Audio from SDI Signal • Automatically detects 3G, HD, SD signal • 4 x Analogue Mini XLR Audio outputs • Assignable De-embedded audio signal • Audio level indicator display • SMPTE and EBU Audio level switchable • Control via DIP Switches	€ 285
DATA-DAC91	**DATAVIDEO DAC-91 Audio Embedder** • Embed Audio into an SDI Signal • Automatically detects 3G, HD, SD signal • 4 x Analogue Audio inputs (Mini XLR x 2, RCA x 2) • Audio level indicator display • Audio level adjustment • Control via DIP Switches	€ 325
DATA-MB5	DAC series Tripod mounting bracket for DAC series	€ 24
	Battery mounts for DAC converter	
DATA-DACPSU	DATAVIDEO spare DAC series replacment power supply	€ 29
DATA-MB4-S	Battery mount for DAC converter compatible with SONY NP-F770/ 970/ 960/ 950	€ 69
DATA-MB4-P	Battery mount for DAC converter compatible with Panasonic CGA series	€ 69
DATA-MB4-C	Battery mount for DAC converter compatible with CANON BP series	€ 69
Item Number	**USB Converters**	**List Price (EUR)**
DATA-CAP1	DATAVIDEO SDI to USB 3.0 Capture Box	€ 285
DATA-CAP2	DATAVIDEO HDMI to USB 3.0 Capture Box	€ 245
Item Number	**Audio Converters, Mixers & Delay Boxes**	**List Price (EUR)**
DATA-AM100	**DATAVIDEO AM-100 4 Channel 1U 19" rack mountable audio mixer** • Supports both Line or Microphone with 48v Phantom power • 5th auxiliary channel can be used as line or for daisy chaining with other AM-100 • With the SE-900 the AM-100 can provide synchronised audio follow video using a 15-pin D-Sub connection	€ 575
DATA-AD100M	**DATAVIDEO AD-100 Audio Delay Box with Mic Input** As AD-100, with additonal 3-pin XLR Microphone input • 48v Phantom Power On/Off + 20, 40, 60 dB gain selection	€ 445
DATA-AD200	**DATAVIDEO AD-200 1RU Audio Mixer / Delay Box** 6-Channel Audio Delay/Mixer with Level Adjustment and matrix router to 4-CH audio outputs • 4-CH balanced audio inputs, 2-CH AUX inputs selectable of Mic/Line level • 4-CH balanced audio outputs, 2-CH unbalanced-audio outputs • Supports up to 3sec audio delay adjustment for each input channel • Audio level adjustment of each input	€ 855
Item Number	**Synchronized Multi-Prompter System**	**List Price (EUR)**
	Until now, tablet-based prompters have lacked the ability to share, synchronize and playback scripts over multiple devices. As a result, producers have been restricted to reading from a single teleprompter linked to a particular camera. Using DVP-100 and multiple TP teleprompters, presenters can read from multiple prompters around a studio for a dynamic, truly televisual production. Scripts can be added or edited in real-time and the playback speed can be altered at will. The result is a flexible, synchronized multi-camera teleprompter system at an astonishingly low price.	
DATA-DVP100	**DATAVIDEO DVP-100 Multi-Teleprompter Control System** A wireless teleprompting system designed to centrally control and synchronize up-to 6 prompter screens. Users can create and load new scripts, control the scrolling and perform live edits on all prompter screens in real time. • Keep multiple prompter screens in perfect sync • Remote control and script management over dual band WiFi. IOS App Available • Perform live edits and create playlists from multiple scripts stored on dv Prompter • Compatible with any screen, tablet of laptop that has a HTML5 compliant web browser • Multiple users can collaborate to the scripts library over IP • Compatible with WR-450 Bluetooth controller to control script playback • Small form factor, rack mountable using RMK-2, 12V DC input	€ 465
DATA-DVP100KIT	**DATAVIDEO DVP-100 2 Camera Multi-Teleprompter Control System KIT** 2 Camera Studio Teleprompter kit comprising - • 2x Datavideo TP-300 Tablet Teleprompters • 1x Datavideo DVP-100 Teleprompter Control System	€ 1,095
Item Number	**Teleprompters**	**List Price (EUR)**
DATA-TP150BB	**DATAVIDEO TP-150 PTZ Teleprompter** • Adjustable mount to hold Android & Apple tablets from 8" to 13" (inc iPad Pro) • Tablet position can be adjusted vertically depending on brand of PTZ camera • Can also be used as a "under camera" prompter for use with any camera, not just PTZ cameras • Optional Carrying Case - Datavideo TP500 Remote control not included	€ 135
DATA-TP300BB	**DATAVIDEO TP-300 Tablet Teleprompter** • Adjustable mount to hold Android & Apple tablets from 7" to 10" • Tablet can also be mounted under lens for use with retro-reflective light • Optional Carrying Case - Datavideo HC300 Remote control not included	€ 375
DATA-TP500BB	**DATAVIDEO TP-500 DSLR Tablet Teleprompter** • 18mm Rail Adjustable Mounting System Included - ideal for DSLR Cameras • Adjustable mount to hold Android & Apple tablets from 7" to 10" • Tablet can also be mounted under lens for use with retro-reflective light • Optional Carrying Case - Datavideo HC500 Remote control not included	€ 415
DATA-TP650BB	**DATAVIDEO TP-650 ENG Tablet Teleprompter** • Larger Frame, Glass and Mount - suitable for ENG Type Cameras • Adjustable mount to hold Android & Apple tablets from 7" to 10" • Tablet can also be mounted under lens for use with retro-reflective light • Optional Carrying Case - Datavideo HC600 Remote control not included	€ 515
DATA-TP800	**DATAVIDEO TP-800 Conference Teleprompter** TP-800 Conference prompter full functioning and self supporting, ext. AC or Battery operated and working together with the new DVPrompter App	€ 1,255
DATA-LBK2	**DATAVIDEO LBK2 Look back kit** Look back kit for tripod mount. Ideal for monitors to be mounted directly under a camera. (VESA mount for 24"-32" monitors) To be used in conjunction with virtual studio or other live applications.	€ 69
Item Number	**Teleprompter Optional Accessories**	
DATA-WR500	**DATAVIDEO WR-500 Universal Bluetooth 4.0 Remote Control for Apple/Android Devices** • Suitable for use with Datavideo Teleprompter Range • Can also be used in "wired mode" if required	€ 145
Item Number	**Water, Dust & Crush Resistant Cases**	**List Price (EUR)**
DATA-HC300	**DATAVIDEO HC-300 Waterproof/Impact Resistant Case with pick and pluck foam included, also can be used for TP-300** • Ext : 430 x 380 x 154mm - Int : 395 x 320 x 117mm • Suitable for use with Datavideo TP300 • Supplied with diced cut "pick & pluck" foam for use with other equipment	€ 99
DATA-HC350	**DATAVIDEO HC-350 Waterproof/Impact Resistant Case with pick and pluck foam included** • Ext : 475 x 390 x 200mm - Int : 422 x 350 x 175mm • Supplied with diced cut "pick & pluck" foam for use with other equipment	€ 175
DATA-HC500	**DATAVIDEO HC-500 Waterproof/Impact Resistant Case with pick and pluck foam included, also can be used for TP-150/500** • Ext : 330 x 280 x 120mm - Int : 300 x 220 x 90mm • Suitable for use with Datavideo TP150 or TP500 • Supplied with diced cut "pick & pluck" foam for use with other equipment	€ 59
DATA-HC600	**DATAVIDEO HC-600 Waterproof/Impact Resistant Case with pick and pluck foam included, can also be used for TP-600** • Ext : 515 x 415 x 200mm - Int : 485 x 355 x 186mm • Suitable for use with Datavideo TP600 • Supplied with diced cut "pick & pluck" foam for use with other equipment	€ 105
DATA-HC650	**DATAVIDEO HC-650 Waterproof/Impact Resistant Case with pick and pluck foam included. (Trolley Style)** • Ext : 530 x 355 x 225mm - Int : 510 x 292 x 178mm • Supplied with diced cut "pick & pluck" foam for use with other equipment	€ 185
DATA-HC700	**DATAVIDEO HC-700 Waterproof/Impact Resistant Case with pick and pluck foam included (Trolley Style)** • Ext : 560 x 355 x 290mm - Int : 510 x 290 x 240mm • Supplied with diced cut "pick & pluck" foam for use with other equipment	€ 215
DATA-HC800	**DATAVIDEO HC-800 Waterproof/Impact Resistant Case with pick and pluck foam included** • Ext : 625 x 420 x 340mm - Int : 581 x 360 x 298mm • Supplied with diced cut "pick & pluck" foam for use with other equipment	€ 235

HOLDAN Limited
Tel +44(0)1457 851000
Fax +44(0)1457 850964
www.holdan.co.uk

Item Number	Live CG Solutions	List Price (EUR)
	DATAVIDEO Professional Live CG Solutions Live text generation and superb quality graphics / logo overlay **CG-250 :** HD CG solution, Manual /Playlists, 3D Graphics, Media Library & Keyframe Support. For use with TC-200 **CG-350 :** SD/HD Support, Manual/Playlist, Dynamic Data Integration, Annimated Logo / Sequence, Templates, Media Libray & Capture Video Frame. For use with TC-200 or Decklink Extreme **CG-500 :** Adds Scheduling, Database Integration, 3D Graphics & Keyframe Control to CG-350	
DATA-CG250	**DATAVIDEO CG-250 SD/HD CG Software for live production - for use with the TC-200**	€ 475
DATA-CG500	**DATAVIDEO CG-500 SD/HD Professional CG Solution for live/post production**	€ 2,605
Item Number	**CG Hardware & Turnkeys**	
DATA-TC100	**DATAVIDEO TC-100 HDMI Title overlay Box - No PCI card required.** • HDMI Title inserter with;Live Title Generator CG overlay mode Support Luma Key Title and Logo overlay functionReal-time Graphics/Titles operationSupports HD video up to 1080p 50/60Free CG software CG-200 included. • Live Title Generator: Support HDMI input and output for laptop CG overlay mode • Support Luma Key Title and Logo overlay function • Real-time Graphics/Titles operation • Supports HD video up to 1080p 50/60 • Free CG software CG-200 included • No additional PCI card required, title editing on laptop • Compatible with Windows 7/8 or above	€ 465
DATA-TC200	**DATAVIDEO TC-200 DSK / Overlay Box for Laptops - No PCI card required** • Supports DSK function (via HDMI) or SDI overlay function • Support HD/SD SDI input and output in Overlay mode • Supports HD video with 1080i 50/59.94/60; 720p 50/59.94/60 &SD video: 576i/480i • Compatible with Windows 7/8. Supports all Windows fonts. Multi-language support • Supports scrolling & animation including JPG, TAG, GIF, BMP, PNG NOTE: Requires a laptop with HDMI or DisplayPort and support for 1920x1080 output	€ 665
DATA-CG500PC	**DATAVIDEO CG-500 SD/HD Live CG Turnkey System** Fully configured Turnkey System, includes : • HP z230 PC, fitted with upgraded Graphics GTX760 & BlackMagic HD Extreme 4K Card • HP 21.5" Monitor • Datavideo CG-500 Software Preloaded, Configured and ready to go	€ 4,950
Item Number	**Vector Scope & Waveform Monitoring**	**List Price (EUR)**
DATA-VS100	**DATAVIDEO VS-100 Vector Scope & Waveform Monitoring Unit** • Virtually "Pocketsized" - Rugged Construction, ideal for any tool bag • Multipurpose - Waveform Monitor, Vectorscope, Parade, Histogram & Video in Thumbnail Mode • HD/SD-SDI Input & Output. HDMI Output to cost-effective HD Displays • SDI Ports can provide loop thru if required	€ 775
Item Number	**Intercom**	**List Price (EUR)**
DATA-ITC100	**DATAVIDEO ITC-100 8 Channel Intercom System** • Base Station with Operator Mic & Lamp • Includes 4 x Belt Packs including 4 x 20M cable & 4 headsets/microphones • 4 x Camera Tally Lights included (connects to camera operator's belt pack) Additional Belt Packs inc Headset/Microphone & Tally Lights available as optional extra	€ 1,025
DATA-ITC100SL	DATAVIDEO Additional Belt Pack for ITC-100 (inc 20m cable, 1x Tally Light & Headset/Mic)	€ 185
DATA-ITC100TC500	DATAVIDEO Tally Connection Cable (CB-42) for SE500 / 700 to ITC-100	€ 7
DATA-LP1	DATAVIDEO LP-1 Spare Gooseneck XLR Light for ITC-100	€ 59
DATA-MC1	DATAVIDEO MC-1 Spare Headset / Microphone Set from ITC-100SL	€ 12
DATA-MC2	DATAVIDEO MC-2 Spare Gooseneck XLR Microphone for ITC-100	€ 69
DATA-HP1	DATAVIDEO HP-1 Upgraded One Ear Headset for ITC-100SL (for use with ITC-100/200)	€ 79
DATA-HP2A	DATAVIDEO HP-2A Upgraded Two Ear Headset for ITC-100SL (for use with ITC-100/200)	€ 115
DATA-CB3	DATAVIDEO CB-3 20m Intercom Extn Cable (between ITC-100 & ITC100SL)	€ 48
DATA-CB4	DATAVIDEO CB-4 50m Intercom Extn Cable (between ITC-100 & ITC100SL)	€ 105
DATA-CB17	DATAVIDEO CB-17 3,5 mm jack to Headphone / Mic adapter. To use a standard (non usb) Skype headset with microphone with ITC-100 SL Beltpack	€ 4
DATA-ITC300P	**Datavideo ITC300P Digital Intercom System** •A revolutionary design transmits two ways talk, and tally over single CAT cable. •Supports 8-Way digital wired Intercom •Communication distance up to 100 meters •Selectable channel talk, broadcast to all, or mute •Bi-colour tally light indicator •Additional external earphone and microphone interface •Supplied complete with Gooseneck Microphone and Light •Industry Standard 19" 1U rack design, for easy integration •Support cascading for more channels	€ 1,815
DATA-ITC300SL	Datavideo ITC300SL Belt Pack for ITC-300 Intercom range	€ 235
DATA-VP300R	**DATAVIDEO VP-300R Ethernet extender for ITC300** Extend ITC-300 cables to 200 meters The standard Ethernet cables between ITC-300 and ITC-300SL (beltpack) can reach up to 100 meters. VP-300R extends that distance to 200 meters whilst being a passive device	€ 125
Item Number	**Repeaters & Distribution Products**	**List Price (EUR)**
DATA-VP445	**DATAVIDEO VP-445 HD/SD SDI Distribution Amplifier** • Input HD/SD-SDI • Output 4 x HD/SD-SDI (no scaling) • Heavy Duty Metal Case - suitable for field use • 12v DC PSU Supplied	€ 185
DATA-VP597	**DATAVIDEO VP-597 2*6 3G-SDI HD/SD SDI Distribution Amplifier** • Input 2 x HD/SD-SDI inc Embedded Audio, switchable by GPI • Output 6 x HD/SD-SDI (no scaling) • Heavy Duty Metal Case - suitable for field use • 12v DC PSU Supplied	€ 275
DATA-VP633	**DATAVIDEO VP-633 Powered HD/SD SDI Repeater** Powered SDI signal repeater with re-clock function • 3G, HD & SD-SDI Support • VP-633 can repeat SDI signal upto a further 200m (SDI Cable dependant, 3G 100m max between repeaters) • Add up to 3 x VP-634 for each additional 200m required (SDI Cable dependant) • 12v DC PSU Supplied	€ 275
DATA-VP634	**DATAVIDEO VP-634 HD/SD SDI Repeater (for use with VP-633)** SDI signal repeater with re-clock function - use with VP-633 • 3G, HD & SD-SDI Support • Requires 1 x VP-633 in chain to supply power • Up to 3 VP-634 can be used with 1 x VP-633	€ 255
DATA-VP737	**DATAVIDEO VP-737 Composite Video Signal Repeater** Composite Video Transmitter & Receiver - upto 200m via CAT 5 cable • Contains 1 TX + 1 RX unit + 12v PSU • Use standard CAT 5 cable between TX & RX unit - up to 200m	€ 125
DATA-VP781	**DATAVIDEO VP-781 HD/SD SDI + Intercom Repeater** For use with 2 x CB-50 cables (not included), providing Intercom, Tally and SD/HD-SDI video runs up to 200m • Built-in HD/SD SDI Repeater inside and 5Pin XLR Intercom pass-through (SDI video + XLR intercom I/O) • Requires VP-633 Powered SDI Repeater	€ 265
DATA-VP840	**DATAVIDEO VP-840 4K HDMI Distribution Amplifier 1x4** • 1x4 4K HDMI Distribution Amplifier • Supports 4K2K@60 4:4:4 8bits • Supports High Dynamic Range, which is 4K2K@60 4:2:0 10bits • HDMI 2.0a compliant, HDCP 2.2 and 1.4 compliant • Supports Deep Color & 3D & Dolby Digital, DTS-HD and Dolby TrueHD audio	€ 185
DATA-VP901	**DATAVIDEO VP-901 12G SDI Distribution Amplifier 1x8** 1 input to 8 outputs 12G/6G/3G/HD/SD-SDI Distribution Amplifier with equalization and re-clocking. Auto detect input	€ 415
Item Number	**LCD Monitors Desktop and Rackmount**	**List Price (EUR)**
	DATAVIDEO TLM-170L Series - Desktop, 1U & 7U Rackmount Monitors Choice of 3 models - Desktop, 1RU Folding Rackmount or 7RU Fixed Rackmount All models feature : • 1920x1080P Panel resolution • Support 3G-SDI video input with loop-through output, Support two HDMI inputs • Individual adjustments of Brightness, Contrast, Color Saturation and LED Backlight Level for each monitor • Monitor Underscan and Overscan mode selection • Front panel Headphone Jacks • Bi-colour Tally light and 3.5mm Jack Tally input socket • Support embedded audio on SDI & HDMI (ver1.3)	
DATA-TLM170L	**DATAVIDEO TLM-170 (L) Desktop**	€ 925
DATA-TLM170LR	**DATAVIDEO TLM-170 (LR) 7U Rackmount Unit**	€ 1,025
DATA-TLM170LM	**DATAVIDEO TLM-170 (LM) 1U Foldable Rackmount Tray Unit**	€ 1,305
	DATAVIDEO TLM-170V Series - Desktop, 1U & 7U Rackmount 17" ScopeView Production Monitor Choice of 3 models - Desktop, 1RU Folding Rackmount or 7RU Fixed Rackmount All models feature : • 1920*1080 Full HD IPS Panel resolution • 3G-SDI video input with loop-through output • HDMI input with loop-through output • Integrated Tally input for Live Broadcast • Support column (YRGB peak), time code, waveform, vector scope & audio level meter, peaking focus assist, zoom, pix to pix, underscan, check field, etc • SDI, HDMI cross conversion	
DATA-TLM170V	**DATAVIDEO TLM-170 (V) Desktop 17" ScopeView Production Monitor**	€ 1,305
DATA-TLM170VR	**DATAVIDEO TLM-170 (VR) 7U Rackmount 17" ScopeView Production Monitor**	€ 1,395
DATA-TLM170VM	**DATAVIDEO TLM-170 (VM) 1U Foldable Rackmount Tray 17" ScopeView Production Monitor**	€ 1,725

DATA-TLM102	**DATAVIDEO TLM-102 2 x 10.1" Rack-Mounted Monitor** • 1280 x 800 IPS Panel resolution • Dual monitor, 4RU rack mount • Supports 3G-SDI video input with loop-through output • Supports HDMI input with loop-through output • SDI, HDMI cross conversion • Individual djustments of Brightness, Contrast, Color Saturation and LED Backlight Level for each monitor • Color Temperature Adjustment • Front Panel Headphone Jacks	€ 1,115
Item Number	**LCD Field Monitors & Look Back Systems**	**List Price (EUR)**
DATA-TLM700HD	**DATAVIDEO TLM-700HD 7" Tripod Mounted HD Field Monitor** • Composite, HD-YUV, SD/HD-SDI & HDMI Inputs • Individual control of contrast, brightness & colour. Colour Bars. Blue Only • Audio Level Indicators. 800 x 480 Resolution. • Tally Input. Heaphone Output. SDI & HDMI Embedded Audio Support. • Sunshade Included • DC 12v Power Operation. AC Adapter inc. or via On-Board V-Mount	€ 605
DATA-TLM430	**DATAVIDEO TLM-430 4.3" Look Back Monitor** • 4.3" 480 x 272 LCD active matrix for Preview and Look Back • Enlarged Bi-Colour Tally LED indicators (Red & Green) • 16:9 & 4:3 Aspect Ratio Support. • Remote Controllable by Datavideo RMC200 • DC 6v Power Operation. AC Adapter inc or via Sony BP-U / NP-F series battery	€ 285
DATA-RMC200	**DATAVIDEO RMC-200 Camera Remote Controller** • Supports Sony LANC Control - suitable for many Sony, Canon & Panasonic Camcorders • Controls Camcorder Pause / Record + Record on Datavideo DN-60A Recorder • Zoom Control with variable speed • Controls switch to return feed input on Datavideo TLM-430 Look Back Monitor • Mounts on to Tripod Arm	€ 115
DATA-TLM43LB	**DATAVIDEO TLM-43LB Look Back Monitor and RMC200 Controller Pack** • TLM-430 Look Back Monitor • Datavideo RMC-200 Camera Remote Controller	€ 375
Item Number	**4K On Camera Monitors**	**List Price (EUR)**
DATA-TLM700K	**Datavideo TLM-700K 7" 4K LCD Monitor** **F**eatures 4K inputs at the 7" screen size. It's UHD 4K resolution is compatible with 16:9 Aspect Ratio LCD field monitor which presents its images on a Full HD 1920x1200 LCD panel. Optimized for use with the professional DSLRs & Camcorders. It offers a wide range of professional features including focus assist (peaking),false color filters, a variety of screen markers, underscan mode, check field and Pixel-to-Pixel mode.The Datavideo TLM-700K is an excellent display with advanced auxiliary functions to provide wonderful viewing & user friendly experience.	€ 185
DATA-TLM700K-KIT	**Datavideo TLM700K 7" 4K Monitor, case and accessory kit** Contains the following: 1 x Datavideo TLM-700K 7" 4K LCD Monitor 2 x HAHNEL NP-F 550 Type Battery's 1 x HAHNEL Unipal Plus Battery Charger 1 x DATAVIDEO BH-8 B&S Camera Mount 1 x DATAVIDEO HC-300 Waterproof/Impact Resistant Case	€ 415
Item Number	**Power Distribution**	**List Price (EUR)**
DATA-PD2A	**DATAVIDEO PD-2A High Power 1U Power Distribution System for Mobile Video Studio** • 400 watt rated power supply • Input connections : AC: 100-240V AC Max 6.3 A, 50Hz or 60HZ. DC: 12V 400W • Output connections : 4 x 12V DC 3A XLR, 2 x 12V DC 5A XLR & 2 x 12V DC 10A XLR	€ 925
DATA-PD4A	**DATAVIDEO PD-4A 1U Redundant Power Distribution System for Mobile Video Studio** • Input : AC: 100-240V AC Max 6.3A, 50Hz or 60Hz (2x AC Input w/ Power Switch), DC: 12V 300W • Output Connections : 3x 12v 5A XLR DC Female, 2x 12v 10A XLR DC Female • Two AC power supplies : The PD-4 will still supply energy to your devices, if one power source fails • Built-in time delay power-on control to initiate each DC output termal in sequence	€ 1,485
DATA-PD6	**DATAVIDEO PD-6 1U Redundant Power Distribution System for Mobile Video Studio** • Universal AC to DC Power Distribution Center • 12V, 14.4V, 24V, 48V power support • 19" rackmount 1U	€ 1,395
DATA-DDC4012H	**DATAVIDEO DDC4012H In-Line XLR DC to DC 9-12v Converter** High Power Version : Supports 48v / for use with PD-6 9-30v XLR Input, Switchable 7.2/12v 2.1mm Locking Collar DC Output	€ 165
Item Number	**Studio Solutions**	**List Price (EUR)**
Camera SLED		
DATA-SLD1	**DATAVIDEO SLD-1 Camera SLED** SLED is a shoulder mount rig for offering comfortable and professional operation. Equipped with rear V-mount battery plate, the SLD-1 SLED has extra power options and allows for other accessories to be mounted to the back like AD-2 adaptor. There is also a D-Tap connector to supply power to camera. A USB port is included to supply power to LED light. Also, two bi-color tally LED lights are provided to serve as indicators to the camera crew.	€ 335
Camera Control		
Item Number	**HDMI Active Optical Cables**	**List Price (EUR)**
	HDMI active optical cable with high performance, low power consumption and low cost. Using optical fiber to replace copper wire as the high-speed signal transmission medium, the cable can perfectly transmit 4K@60Hz UHD image up to more than 100 meters. Compared with the traditional copper wire, the cable is much longer, softer, more slim, with better signal quality and perfect EMI/EMC feature. The cable is easy to use, has HDMI 2.0 and HDCP 2.2 compatibility.	
DATA-CB60	**DATAVIDEO CB-60 HDMI Active Optical Cable - 30m**	€ 345
DATA-CB61	**DATAVIDEO CB-61 HDMI Active Optical Cable - 50m**	€ 445
DATA-CB62	**DATAVIDEO CB-62 HDMI Active Optical Cable - 100m**	€ 655
Item Number	**Cables**	**List Price (EUR)**
DATA-CB29	**DATAVIDEO CB-29 Tally Connection Cable for SE3000 to ITC-100 and AM-100**	€ 95
DATA-TD3	**DATAVIDEO TD-3 Tally Light Bi color (Red/Green) Set (4)**	€ 79
DATA-TB20	**DATAVIDEO TB-20 Tally Box Converter (ITC-100/200 connected to Panasonic Switchers)**	€ 115
DATA-CB28	**DATAVIDEO CB-28 Intercom / Tally Connection Cable for SE2800 to ITC-100 and AM-100**	€ 17
DATA-CB22H	**DATAVIDEO CB-22H Camera Power & Intercom All-in-One Cable - 30M** 1x 4 pin XLR power cable, 1x5 pin XLR Intercom, 1x BNC Video, 1x BNC for return	€ 255
DATA-CB23H	**DATAVIDEO CB-23H Camera Power & Intercom All-in-One Cable - 50M** 1x 4 pin XLR power cable, 1x5 pin XLR Intercom, 1x BNC Video, 1x BNC for return	€ 375
DATA-CB46	**DATAVIDEO CB-46 SDI Video, Intercom & Tally All-in-One Cable - 30M** 1 x BNC Video (HD-SDI compatible) & 5-pin XLR Intercom	€ 195
DATA-CB47	**DATAVIDEO CB-47 SDI Video, Intercom & Tally All-in-One Cable - 50M** 1 x BNC Video (HD-SDI compatible) & 5-pin XLR Intercom	€ 295
DATA-CB30	**DATAVIDEO CB-30 MCU, SDI Video, Intercom & Tally All-in-One Cable - 30M** 1x HD/ SD SDI, 1x CV for return video, RJ45 connector for use with MCU-100 and 5 Pin XLR for Talk Back and Tally	€ 285
DATA-CB31	**DATAVIDEO CB-31 MCU, SDI Video, Intercom & Tally All-in-One Cable - 50M** 1x HD/ SD SDI, 1x CV for return video, RJ45 connector for use with MCU-100 and 5 Pin XLR for Talk Back and Tally	€ 425
DATA-CB44	**DATAVIDEO CB-44 SDI Video, MCU, Intercom & Tally, Look Back and Power All-In-One Cable - 50M** For use with CCU-100 Camera Control Unit	€ 675
DATA-CB59	**DATAVIDEO CB-59 Intercom / Tally Connection Cable for SE1200 to ITC-100**	€ 12
Item Number	**Rack kits & Patch panel**	**List Price (EUR)**
DATA-RMK1	**DATAVIDEO RMK-1 Rackmount System** 1U rackmount for 1 or 2 half-rack width Datavideo Products : suitable for AD-100, DAC-90, VS-150, NVS33	€ 47