



ZY PLAY
For Greater Performance

LIGHTCOLLECTOR

CRANE 3 **LAB**

REDEFINE STABILIZER

- Professional Stabilizer with Image Transmission -



LAB LAB SERIES
The Leading Innovations

- / ViaTouch Control System
- / Synchronous Zoom & Focus Control
- / All-Inclusive Control Panel
- / Aviation Grade Motors

CRANE 3 **LAB**

Professional Stabilizer with Image Transmission

CRANE 3 LAB is ZHIYUN's powerful stabilizer that integrates wireless Full HD image transmission technology. Designed for individual videographers or videography teams, CRANE 3 LAB redefines the structure of traditional stabilizers with its effort-saving Sling Mode. The 1080P image transmission system of this stabilizer allows users to frame and take shots from any angle and at any view. Its ViaTouch control system enables users to take care of every detail via a smartphone. Armed with synchronous zoom & focus control, CRANE 3 LAB unleashes the creative potential of users.



REDEFINE STABILIZER

FEATURES



Revolutionary Design

With an all-new and ergonomic structure, CRANE 3 LAB adds Sling Mode, allowing effortless and stable shooting especially for low angles.



Great Compatibility

With an incredible payload of 4.5kg and long axis, CRANE 3 LAB supports almost APS-C / M43 cameras on the market even when equipped with larger lenses.



Wireless Full HD Image Transmission

The wireless image transmission technology delivers video streaming up to 1080P. Compatible with most smartphones and tablets (Android and iOS), most devices can be readily used as a monitor. With live preview and real-time parameter settings, you can frame and take shots from any angle and at any view.



Wireless Full HD
Image Transmission

ViaTouch
Control System

4.5 KG
Max Payload

Easy Setup and Great Portability

Now with a lock on each axis, transporting and balancing gimbals has never been so easy. You can lock each axis while balancing the other and save the current setup for next time or lock all three axis for convenient transport.

PhoneGo Mode to Unleash Full Potential

With a single tap on the Go button, your camera is ready to handle fast-moving sports. PhoneGo mode enables the gimbal to maximize its speed of operation, capturing all the action with ease.

Synchronous Zoom & Focus Control

CRANE 3 LAB is equipped with a zoom and focus control module on its quick release plate. Users can make synchronous zoom and focus adjustment through the tactile wheel and zoom button.

ViaTouch Control System

ViaTouch Control System enables users to take care of every detail simply on a phone screen. You can make various gimbal movements and camera settings while framing the shots simultaneously all via a same screen. With ViaTouch control system, working alone would be just as efficient as working on a team.

Automated Advanced Features

Popular filmmaking features such as timelapse, motionlapse, panorama are available with CRANE 3 LAB. Release your creativity!

All-Inclusive Control Panel

Inspired by the airline control stick, CRANE 3 LAB features multiple buttons. Combined with an intuitive OLED screen, you can easily perform full control on both gimbal and camera including mode switch, camera control and various custom gimbal settings.

ACCESSORIES & STANDARD PACKAGE



1

TransMount CRANE 3 LAB Handheld Tripod



2

TransMount Servo Zoom/Focus Controller (Max)



3

TransMount Mini Monopod



4

TransMount Quick Setup Adapter



5

TransMount Phone Holder with Crown Gear



6

TransMount Multifunctional Camera Belt



7

TransMount Servo Follow Focus (Lite)



8

TransMount Telescopic Monopod with Locking Buckle



9

TransMount Quick Release Base Plate



10

TransMount Multifunctional Gimbal Bag



1

Master Package

1 2 3 4 4 5 6 10



2

Creator Package

1 2 3 4 4 5 6



3

Master Accessories Kit

2 3 4 4 5 6 10



4

Creator Accessories Kit

2 3 4 4 5 6

WEEBILL LAB Specs

Operation Voltage	6.4V-8.4V	
Operation Current	250mA-3000mA	
Operation Temperature	-10°C-45°C	
Operation Time	12h	*Lab Data1
Weight	970g	Excluding batteries
Tilt Angle Range	360°	Unlimited rotation
Roll Angle Range	360°	Unlimited rotation
Pan Angle Range	360°	Unlimited rotation
Payload	300g-3000g	

*Lab Data1: The data - 12h operation time is tested under 25°C temperature with gimbal placed still and balanced well; Mounted camera: Sony A7+10-18 F4



ZHIYUN-TECH.COM

Zhiyun reserves the right to change the product design and specifications, including but not limited to size, color, and etc. Picture for reference only.