



SONY FX9 | ACCESSORY GUIDE

Combining the latest full frame, high resolution sensor with a traditional camcorder form factor, Sony's FX9 can capture beautiful shallow DOF footage with an impressive 15 stops of dynamic range.

Perfect accessories

One criticism of the camera is related to powering the camera with proprietary batteries and an unusual 19.5volt PSU. There are competing solutions to adapt the FX-9 to use V-lock batteries; the best are supplied by Holdan.

The familiar camcorder form factor is great for handheld work, but there are hardly any mounting points for essential accessories. This is where the rigs from Wooden Camera become an essential part of the system.

Full frame images are a sight to behold, but that wafer-thin depth of field requires pinpoint accurate monitoring. SmallHD's Ultra Bright 5" and 7" are perfect for checking focus and nailing the correct exposure both indoors and in full sunlight.



SONY FX9 ACCESSORIES |

Products have been tested for broad compatibility by Holdan - please check with your reseller for details.

POWER

Add high capacity batteries and benefit from multiple outputs to power on-camera accessories



Core SWX | Nano U98

A high capacity (98wh) alternative to Sony's original BP-U35 battery, delivering more than twice the runtime.



Core SWX | Hypercore Neo Mini 9

98wh V- or Gold-mount battery with 16A Peak / 12A continuous load, p-tap and USB outputs.

BATTERY ADAPTERS

Mount broadcast batteries to the FX9 camera



Core SWX | CXV-FX9

Secure all-metal V-Lock adaptor with dual power taps, a 19.5v DC output with a battery warning indicator and a 4-pin XLR DC input.



Wooden Camera | WC-275900

V- mount battery system which allows the user to use the internal BPU battery, giving the user the ability to hot swap V-Mount batteries. Features 3x D-Tap ports.

V-MOUNT CHARGERS

Be ready to shoot all day



Core SWX | Fleet Quantum

4-position charger which analyses all packs and brings the highest two to 100% before charging the other two. Charge four 98wh packs in 3 hours.



Core SWX | Fleet-D2S

2-position V-Mount fast simultaneous charger - charges two 98wh battery packs in 2.5hrs

RIGS

Create the perfect shooting platform around the FX9



Wooden Camera | FX9 Unified Accessory Kit (Base)

Top Plate cheeseplate for accessory attachment, a quick release baseplate for holding the two 15mm rods, and a bolt on top handle that attaches to the top plate and has multiple mounting points for accessories.



Wooden Camera | FX9 Unified Accessory Kit (Advanced)

In addition to the Base kit, the Pro kit adds a NATO quick release handle, and an ARRI 12" Safety Dovetail.



Wooden Camera | FX9 Unified Accessory Kit (Pro)

In addition to the Advanced Kit, the Pro version adds a UVF Mount for the camera's included viewfinder.


DISPLAY

Daylight monitors with advanced signal analysis, LUT management, focusing and framing tools




SmallHD | Cine 7

The Cine 7 sets the standard for professional on-set monitoring with a stunning 1800 nit, 100% DCI-P3, 1080p display.



SmallHD | 503 UltraBright

2200 nit 5-inch monitor for shooting in full sunlight with HDR Preview, and 12v 2 pin power.



SmallHD | 703 UltraBright

2200 nit 7-inch monitor for shooting in full sunlight with HDR Preview, and 12v 2 pin power.

WIRELESS MONITORING

Zero delay wireless transmission for DOPs focus pullers, directors and the video village



Teradek | Bolt 4K 750 Transceiver Set

State-of-the-art 12G-SDI/HDMI 4K/HD wireless TX/RX set with a 750ft range and zero latency HDR transmission at full quality, with instant re-connect and rock solid reliability. Also available with 1500, 3000 or 5000 ft range.



Teradek | Bolt 500 XT SDI/HDMI Transceiver Set

The industry standard Bolt XT zero delay HD wireless transmitters. XT is available with a maximum range of 500, 1000, 3000 or 10,000ft. Features include manual frequency-selection tool, 3D LUT engine and a 5GHz spectrum analyzer to keep an eye on interference in your area.

LENSES

Mount SLR Magic E-mount glass for beautiful, cinematic results



SLR Magic | MicroPrime lenses

Beautifully engineered, all-metal construction gives them a truly professional feel. The results are stunning across the range, with a consistent look and feel. The lenses are small and lightweight, making them portable, affordable and suitable for use on gimbals.

- 12mm T2.8 MicroPrime
- 15mm T3.5 MicroPrime
- 18mm T2.8 MicroPrime
- 25mm T1.5 MicroPrime
- 35mm T1.3 MicroPrime
- 50mm T1.2 MicroPrime
- 75mm T1.5 MicroPrime

LENS CONTROL

Ultra-fast and super accurate wireless lens control



Teradek | CTRL.1 Wireless Lens Control Kit

Wireless control focus, iris or zoom with up to 5,000 ft. of range. Supports lens mapping for precision focus pulling. Lens mapping overlays directly on compatible SmallHD monitors.



Teradek | CTRL.3 Motor Wireless Lens Control Kit

Wireless control of focus, iris and zoom with up to 5,000 ft. of range. Supports lens mapping for precision focus pulling. Lens mapping overlays directly on compatible SmallHD monitors.



Holdan Limited
Brookfield House, Brookfield Industrial Estate
Peakdale Road, Glossop, Derbyshire, SK13 6LQ United Kingdom
Phone: +44 (0)1457 851000 Email: sales@holdan.co.uk
www.holdan.co.uk