

YoloBox Pro

YoloBox Pro User Manual

IMPORTANT

Before using YoloBox Pro, please carefully read this handbook which includes warnings and attentions. We enables you to continuously use YoloBox Pro if guided by this handbook. However, it is not applicable to the following cases:

- * Unauthorized maintenance or replacement of parts;
- * Damages caused by accidents, including but not limited to lightning, fire or exposed to humidity;
- * Out-of-range use of permitted supply voltage;
- * Unauthorized modification of product label or unapproved removal of warranty label.

Attentions



Warning electric shock

Please return your YoloBox Pro to manufacturer for any repairment or replacement.

Product Description

Warnings

- Please ensure that no liquid will splash on the product and no container filled with liquid will be put on the product.
- Do not plug up the vent in case of electric shock.Do not uncover the product or insert anything to the vent.
- Please put the product on the flat surface.
- Keep the product ventilated and away from direct sunlight or any heat source.
- Do not expose the product to humidity or fire.
- Manufacturer will not take charge of any accident caused by using non-standard power adapter.
- Battery Caution
 1. It is forbidden to disassemble, hit, squeeze or throw it into fire ;
 2. If it is severely swollen and deformed, please do not continue to use it;
 3. Do not place it in an environment with high temperature or sudden atmospheric pressure ;
 4. Do not replace the battery without permission.
- FCC Regulatory Conformance:This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:(1) This device may not cause harmful interference.(2) This device must accept any interference received, including interference that may cause undesired operation.
- Symbol for "ENVIRONMENT PROTECTIONWasto electrical products should not be disposed of with household waste. Please recycle where facilities exist.Check with your local Authority or retailer for recycling advice"




Product Description


YoloBox Pro -----



USB Charge Cable -----



Type-c Charge Cable -----



Hotshoe Mount -----




YoloBox Pro User Manual -----



SIM Card Eject Pin -----



What's In the Box



1. Status Indicator


3. 1/4''Screw Hole

5. SIM Card

2. Ventilation

4. SD Card Holder

6. Power Button



7. HDMI IN 1

8. HDMI IN 2

9. HDMI IN 3

10. USB-A

11. Ethernet

12. HDMI OUT

13. USB-C/DP OUT

14. AUDIO OUT

15. MIC IN

16. LINE IN

17. USB-C

Multi Platforms

4G
Ethernet
WIFI

Stream

SD Card




HDMI

HDMI

HDMI

USB -A/USB-C

RTMP Pull



HDMI to USB
Adapter



Camcorders

DSLRs

Cameras

DSLRs

WebCam

Source from another
YoloBox signed in the
same account

Interfaces	HDMI IN 1; HDMI IN 2; HDMI IN 3; USB-A2.0; HDMI OUT; Ethernet; LINE IN(3.5mm); MIC IN(3.5mm); USB-C; AUDIO OUT(3.5mm); Micro SIM Card Holder; 1/4" Screw Hole; SD Card Holder; USB-C(For charging)
USB Rated Output	USB-A:5V≡1A;USB-C:5V≡1A
Rated Voltage	5V≡3A;9V≡2A;12V≡1.5A
Power	< 18W
Battery Capacity	10000mAh
Net Weight	750g
Dimensions	(LxWxH) : 218x129x27mm
Live Broadcast Resolution	480p/720p/1080p
Audio Input Format	32KHZ/44.1KHZ/48KHZ :16bit
Video Encoded Format	H.264
Audio Encoded Format	(AAC)44.1K 2Ch 16Bit (Please note YoloBox Pro supports 3.5mm Audio In with Mono TRS that is intended for mixers and lavalier microphones.)
Wi-Fi	2.4G/ 5G
4G Network	4G Network Countries & Frequency Band For Users: [NA: Variant for North America (US/Canada/Mexico)] B2/B4/B5/B7/B12/B13/B14/B17/B25/B26/B41/B66/B71 Notes: Mexico B4 For Non-US/Canada/Mexico Users: (EM: Variant for EMEA/India/Korea/Taiwan/South Asia/Latin America/Australia/New Zealand) Users:B1/B2/B3/B4/B5/B7/B8/B20/B28/B38/B39/B40/B41 Notes: Thailand B1, B3 Please note that the certification of YoloBox Pro is in line with the mainstream open 4G band requirements of operators in this country or region. For details, please refer to the approval report of this country or region.
SIM Card Size	Nano-SIM Card
Operating Temperature	0°C-40°C
Operating Humidity	15%-85%, No Condensation
SDCard format	FAT32(Under 128G),NTFS,EX-FAT

Specification

Important things to know:

The software-driven nature means YoloBox Pro will be continuously updated with additional features and new interfaces. We have provided a dynamic Google doc version of user manual that is more focused on software. Please see the digital YoloBox Pro user guide by scanning the QR code below: (Please open in the computer for a better reading experience)



Join the Official **YoloLiv User Group** on Facebook, to get a behind-the-scenes look at others' productions, ask questions, and more.

✉ help@yololiv.com



YOLOLIV TECHNOLOGY INC.



www.yololiv.com



help@yololiv.com



3326 STACEY LYN DR, LAS VEGAS, NV, 89117

FOLLOW US



[YoloLivTech](#)



[yololivtech](#)



[YoloLiv Technology](#)



[YoloLiv Tech](#)